

## CONTACT

DELTA JS AG

Technoparkstrasse 1  
CH - 8005 Zurich  
Switzerland

Phone: ++41 44 445 3130

Fax: ++41 44 445 3139

E-mail: [contact@delta-js.ch](mailto:contact@delta-js.ch)




DELTA JS AG



DELTA JS AG


Machine Dynamics

Engineering ♦ Consulting ♦ Software



## MADYN 2000

Software for General  
Rotordynamics



*Mode shape of a pump with inner and outer rotor*

## UNIQUE MODELLING CAPABILITIES

- ◆ Rotor gear bearing systems for torsional, lateral, axial and coupled analyses
- ◆ Parallel and planetary gears with stationary as well as rotating planet carriers
- ◆ Consideration of the lateral, torsional and axial coupling in gears
- ◆ Bearing types: Spring and damper, rolling element bearings, linear & nonlinear fluid film bearings, floating ring bearings, magnetic bearings (radial and axial)
- ◆ Rolling element bearings are considered with a 5x5 stiffness matrix considering the lateral and rotational stiffness about bending axes and the lateral, axial coupling.
- ◆ For fluid film bearings various effects can be considered: 2-phase flow in cavitation zones considering ambient pressure, turbulence, different oil supply conditions and axial sealing, thermo-elastic deformation, canting
- ◆ Tilting pad bearings with frequency dependent characteristic
- ◆ Magnetic bearing controllers can be modelled by proven controller building blocks similar to real systems.
- ◆ Bearing supports (casings and foundations): Spring mass damper, coupled transfer functions (couplings between different bearings are considered), state space matrices
- ◆ General spring (6x6 full stiffness and damper matrix)
- ◆ Flexible couplings with linear and non-linear characteristics
- ◆ Fluids with speed dependent coefficients
- ◆ Elastic mounting of masses with an axial offset to their centre of gravity
- ◆ Superimposed shaft sections with different material, e.g. to model motor windings
- ◆ Temperature dependent materials
- ◆ Import of rotor data from text files via a flexible interface
- ◆ Active system for torsion allows modelling linear relations by state space matrices between torsional deflections and velocities and torques
- ◆ For further user specific modelling custom blocks can be defined.
- ◆ User defined nonlinearities (apart from the standard nonlinearities for fluid-film bearings and flexible couplings) can be defined with the help of custom blocks and MATLAB code.

2 / 3




DELTA JS AG


Machine Dynamics

Engineering ♦ Consulting ♦ Software

Your global partner for  
rotordynamics.



*Model of a steam turbine generator train with planetary gear*



*Model of a pump with inner and outer rotor*



## POWERFUL ANALYTICAL CAPABILITIES


- ◆ Static analyses: Force -, gear -, weight loads, misalignment (optional consideration of journal position in fluid films and the deformation in rolling element bearings)
- ◆ Damped eigenvalues: Complete systems are considered, e.g. consisting of the rotor, a magnetic bearing system and a stator system (casings and foundations), i.e. no iterative solution for frequency dependent characteristics.
- ◆ Harmonic response to unbalance, forces and moments, base acceleration
- ◆ Linear and nonlinear transient response to forces and moments, base acceleration
- ◆ Linear and nonlinear transient run ups and downs
- ◆ Parameter Variation (eigenvalues as a function of a parameter): Undamped critical speed map, Campbell diagram (speed variation), bearing stiffness and damping variation, flexible coupling stiffness variation, general parameter variation
- ◆ Optimization of magnetic bearing controller parameters with respect to damping, bearing forces and robustness
- ◆ Alignment optimization

## EASY TO USE GRAPHICAL USER INTERFACES (GUIS)


- ◆ to model,
- ◆ to apply loads,
- ◆ to define and start analyses,
- ◆ to select and present results.
- ◆ The system explorer allows controlling every step of a rotor dynamic analysis: Modelling, defining loads and analysis parameters, viewing results

## OBJECT ORIENTED DATA STRUCTURE


- ◆ to have self-contained objects such as bearings, shafts, gears or systems,
- ◆ for easy combination and mounting of model parts such as bearings and shafts,
- ◆ to simply create libraries by storing objects in appropriate directories.
- ◆ Consistent and complete information (model, loads, analysis parameters and results) is stored in a system. Its behaviour is intelligent to maintain consistency, i.e. in case of changes affected results are cleared.



Spectrum of the non-linear transient run up of a turbocharger




System explorer with graphical user interfaces




Mode shape of a turbine generator train







*Coupled lateral torsional vibration mode*



*Resonance Curve of casing vibrations at support with shape at 3400 rpm*



*Campbell diagram of system with inner and outer rotor*



*Magnetic bearing transfer functions with eigenvalues for stability check*

## PLOTS OF MODELS AND RESULTS

- ◆ Plots are clear and practice oriented with complete and consistent information. Various options for the presentation of very complex information are offered (add data tips, select individual shafts ...).
- ◆ Curves of diagrams can be copied and pasted for comparison of results between different systems.
- ◆ Model plots are available at all hierarchical levels: Systems, gears, shafts, bearings, couplings.
- ◆ Shape plots (results along shaft axes) for deformations, forces and moments, stresses
- ◆ Clear presentation of time dependent shapes
- ◆ Resonance plots with various options (selectable lateral directions, main axis of orbits, relative vibration, API evaluation of resonances for lateral vibrations)
- ◆ Presentation of eigenvalues in Campbell diagrams with sophisticated sorting and in various other diagrams
- ◆ Various other diagrams for parameter variation results
- ◆ Plots for the time history, orbits and shapes of transient response results

## AUTOMATION OF ANALYSES

- ◆ Batch processing files can be created and imported to different systems. The use of denotations for objects allows generalizing loads and analyses parameters for various systems.
- ◆ With the help of a command line interface objects can be addressed and their properties changed using WINDOWS scripting.

## SERVICES

- ◆ A standard training within a general rotor dynamic seminar takes place twice a year. Individual trainings are offered either in DELTA JS or the client's offices.
- ◆ Support by e-mail and telephone
- ◆ Maintenance with regular updates. Updates include new features and improvements to enhance the user friendliness and robustness.

## HOW TO CONTACT DELTA JS:


DELTA JS AG

Technoparkstrasse 1  
CH 8005 Zürich  
Switzerland

Phone: ++41 44 445 3130

Fax: ++41 44 445 3139

E-mail: [contact@delta-js.ch](mailto:contact@delta-js.ch)



*Mode shape of a pump with inner and outer rotor*